



OUELLET
ELECTRIC HEATING



OAU Series

Agricultural Wash Down Unit Heater



Built to meet the highest installation standards for agricultural buildings, this is the first wash down farm duty unit heater that is certified and suitable for use in Category 1 and 2 areas per the Canadian Electrical Code.

- Robust, 18-gauge satin coat steel construction.
- High-quality built-in thermostat with stainless steel bulb and capillary.
- Built-in 40A disconnect switch.
- Fan switch control that permits operation as a fan.
- Durable low-density elements painted in black for corrosion resistance.
- LT model¹ featuring high-limit temperature control with automatic reset.

Certification

- CSA C22.2 46, UL2021.
- Corrosion requirements CSA C22.2 94.
- Hose down requirements CSA C22.2 94 Type 4X.

Ideal for these applications

- Agricultural buildings
- Garage
- Barn
- Dairy
- Pigsty
- Cowshed
- Henhouse
- Stable
- Kennel
- Greenhouse

And many other possibilities

Watts	Volts (ph)	BTU/hr	cfm	Temperature Rise		Motor	
				°C	°F	HP	rpm
5000/3750	240/208 (1)	17060/12795	300	30	53	1/4	1050

¹ LT model: OAU05000BLT-DIS40-IV-T
Standard color is white



OSR Series

Self-Regulating ELSR-MA-BF Cable



Pipe tracing for freeze protection
of potable water lines



Eltherm® ELSR-MA-BF self-regulating heating cables are designed to provide in-pipe freeze protection of potable domestic water supply systems. The unique, small diameter cable design ensures a safe and reliable installation inside the water supply pipe. The cable outer jacket material is NSF approved food-safe and meets all applicable CSA standards for use in fresh water systems. Installation is simple and cost-effective and requires minimal modifications to existing pipe works.


Ideal for these applications

- Pipe tracing for freeze protection (i.e. liquid transfers in cold weather).
- Potable water systems (pipes in non-heated building spaces).
- Outdoor water supply and drinking valves for animals.
- Greenhouse water supply systems.
- Freeze prevention in floor drains (Farm equipment cleaning area).

And many other possibilities

A potable water heating system ensures and maintains running water where natural freeze protection cannot be achieved, above or below ground. Heat tracing of potable water supply systems during extreme cold weather periods ensures that piping is protected and water supply is maintained throughout the year.

ELSR-MA-3-XX-BF (in a filled water pipeline)



Other cable models are available with a complete range of accessories and options. Please contact your Ouellet representative for more details.



OWC Series

Heating Cable for Concrete



- Peace of mind, installed under your concrete slab, this system is highly efficient and will give you floors that stay warm to the touch.
- Designed for high performance in concrete, they are more cost effective and faster to install than a hot water system and require no annual maintenance.
- 11 W/sq. ft. at 6" spacing.
- 20-year warranty on the heating cable.


Ideal for these applications

- Space heating of buildings
- Farrowing units
- Slabs under the cows
- Stables and stalls
- Kennels

And many other possibilities

OWS Series

Heating Cable for Snow Melting



- Compatible with multiple surface types (concrete, asphalt, paving).
- Safe, ideal for high-traffic areas, reducing ice buildup and the risk of falls.
- Eco-friendly, limiting the need for salt or sand.
- 50W/sq. ft.
- 10-year warranty on the heating cable.

Ideal for these applications

- Boarding and delivery platforms for animals
- Outdoor washing area for animal transport trucks
- Outdoor slabs around buildings

And many other possibilities



180, 3^e Avenue, L'Islet (Québec)

G0R 2C0 CANADA

Phone: 1 800 463-7043 • 418 247-3947

Fax: 1 800 662-7801 • 418 247-7801

info@ouellet.com • www.ouellet.com

