



Anywhere,
Anytime!

The neviweb[®] platform—controls simplified!



Wireless communication at an affordable price—neviweb®

The new Web interface allows for wireless communications with compatible controls.



Web Interface
GT125
5-year warranty


- Transmitter module:
IC: 7693A-89XAM9A
FCC ID: OA3MRF89XAM9A

Setup requirements for your interface

- Broadband Internet connection
- Open port on your router for Ethernet cable connection
- Open electrical outlet near your router

As easy to install as 1, 2, 3.

For your home, cottage,
apartment buildings
or business.



With your phone,
tablet or computer.

If you can connect to Internet,
you can access your controls.

You can connect up to 300 controls
with one neviweb® interface.

(If the areas to be controlled are separated by concrete walls
or floors, or any other material that could limit the wireless signal,
it may require multiple interfaces.)



OTH2750-GT Wireless Communication Thermostat

The first neviweb® compatible wireless communication programmable electronic proportional pulsing line thermostat.

User friendly, simple and intuitive.

Save money by analyzing your heating costs.

View your daily or monthly usage.

Perfect if you are a homeowner, landlord or business owner and want to control your heating costs!

No usage or access fees!



5-year warranty

Zero emission

Once installed, the thermostats are essentially in listening mode and do not emit any radio frequency signals except when you communicate with them through neviweb®.