

OCT Contemporary Convector



White

Metallic Charcoal



1



Features

Color

- Standard: white, metallic charcoal.
- Optional (upcharge applicable): almond, metallic silver, bronze, aluminum, semi-gloss black, sand.
- Custom colors available upon request.

Finish

- Standard: epoxy/polyester powder paint.

Voltage

- 240/208V, 50/60 Hz, 1-phase.

Construction

- 20-gauge steel.
- Warm air outlet that directs the air to the centre of the room.
- Bar grilles prevent insertion of foreign objects; smooth-finish paint is washable.
- High-limit temperature control with automatic reset.

Heating element

- 2 quiet aluminum monoblock elements.

Watt density

- 700W/ft. (2320W/m).

Control

- Built-in non programmable electronic thermostat (-THO models). 1

Installation

- 4 in. (102 mm) minimum clearance to floor and from an adjacent wall.
- Quick surface-mounted installation, with the included wall mounting bracket.

Warranty

- 5-year warranty against defects.
- (The warranty is valid only if the heater is controlled by a proportional pulsing electronic thermostat with a cycle of 15 seconds maximum.)*


Application

- Kitchen, living room, family room, bedroom, basement.


Models

Watts	Volts	Product # Without Thermostat ¹	Price	Product # Non Programmable Integrated Thermostat	Price	Length		Weight	
						in.	mm	lb	kg
500/375	240/208	OCT0500	297.00	OCT0500-THO	357.00	18	457	13	6
750/563	240/208	OCT0750	343.00	OCT0750-THO	403.00	20 3/4	527.5	15.5	7
1000/750	240/208	OCT1000	371.00	OCT1000-THO	431.00	23 9/16	598	16.7	7.6
1500/1125	240/208	OCT1500	420.00	OCT1500-THO	480.00	29 1/16	739	20	9.1
2000/1500	240/208	OCT2000	466.00	OCT2000-THO	526.00	34 5/8	880	24	10.9

¹ The OCT warranty is valid only if the heater is controlled by a proportional electronic pulsing line thermostat with a cycle of 15 seconds maximum. Add "BL" for white, "CM" for metallic charcoal. Upcharge available for optional colors shown in the color chart section.




Front View



Side View



Top View



Back View